



Search Tools and Accounts (/)



View Mail Statistics Summary

[Home](#) / [Email](#) / [View Mail Statistics Summary](#)

Exim statistics from 2026-05-03 01:18:48 to 2026-05-07 14:27:08



- [Grand total summary](#)
- [Deliveries by Transport](#)
- [Messages received per hour](#)
- [Deliveries per hour](#)
- [Time spent on the queue: all messages](#)
- [Time spent on the queue: messages with at least one remote delivery](#)
- [Relayed messages](#)
- [Top 50 mail rejection reasons by message count](#)
- [Top 50 sending hosts by message count](#)
- [Top 50 sending hosts by volume](#)
- [Top 50 local senders by message count](#)
- [Top 50 local senders by volume](#)
- [Top 50 host destinations by message count](#)
- [Top 50 host destinations by volume](#)
- [Top 50 local destinations by message count](#)
- [Top 50 local destinations by volume](#)
- [Top 50 rejected ips by message count](#)
- [Top 50 temporarily rejected ips by message count](#)
- [List of errors](#)

Grand total summary ([Back To Top](#))

TOTAL	Volume	Messages	Addresses	Hosts	At least one addr Delayed		At least one addr Failed	
Received	3124KB	258		9	10	3.9%	112	43.4%
Delivered	2161KB	151	151	11				
Rejects		1203		31				
Temp Rejects		62		1				


Deliveries by Transport ([Back To Top](#))

	Volume	Messages
dkim_remote_smtp	411KB	15
dovecot_delivery	827KB	13
dovecot_virtual_delivery	593KB	86
remote_smtp	330KB	37




Messages received per hour (each dot is 1 message) ([Back To Top](#))

00-01	56
01-02	53
02-03	4
03-04	31
04-05	18
05-06	2	..
06-07	5
07-08	2	..
08-09	8
09-10	2	..
10-11	5
11-12	17
12-13	2	..
13-14	7
14-15	3	...
15-16	5
16-17	2	..
17-18	1	.
18-19	1	.
19-20	0	
20-21	1	.
21-22	4
22-23	12
23-24	17




Deliveries per hour (each dot is 1 delivery) (Back To Top)

00-01	32
01-02	30
02-03	5
03-04	20
04-05	3	...
05-06	2	..
06-07	3	...
07-08	1	.
08-09	5
09-10	1	.
10-11	4
11-12	11
12-13	1	.
13-14	5
14-15	2	..
15-16	3	...
16-17	2	..
17-18	1	.
18-19	1	.
19-20	0	
20-21	1	.
21-22	2	..
22-23	7
23-24	9




Time spent on the queue: all messages (Back To Top)

Time	Messages	Percentage	Cumulative Percentage
Under 1m	246	93.9%	93.9%
15m	1	0.4%	94.3%
30m	1	0.4%	94.7%
1h	1	0.4%	95.0%
Over 1d	13	5.0%	100.0%



Time spent on the queue: messages with at least one remote delivery (Back To Top)

Time	Messages	Percentage	Cumulative Percentage
Under 1m	49	94.2%	94.2%
15m	1	1.9%	96.2%
30m	1	1.9%	98.1%
1h	1	1.9%	100.0%




Relayed messages (Back To Top)

Count	From	To
1	(cpanel97315128.vultrusercontent.com)[::1] sales@hph.nz	aspmx.l.google.com[142.251.12.26] root@mikemamaril.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	alana-co-nz.mail.protection.outlook.com[52.101.149.0] glen@alana.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	alana-co-nz.mail.protection.outlook.com[52.101.151.0] glen@alana.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	apc.olc.protection.outlook.com[52.101.41.1] cuminatya@outlook.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	aspmx.l.google.com[142.250.4.27] root@mikemamaril.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	aspmx.l.google.com[142.251.10.26] root@mikemamaril.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	aspmx.l.google.com[64.233.170.27] shane@edh.nz
2	(hph.nz)[139.180.179.103] sales@hph.nz	aspmx.l.google.com[74.125.130.27] shane@edh.nz
2	(hph.nz)[139.180.179.103] sales@hph.nz	aspmx.l.google.com[74.125.200.26] shane@edh.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	brideandgroom-co-nz.mail.protection.outlook.com[52.101.149.1] lesley@brideandgroom.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	deemacservices-co-nz.mail.protection.outlook.com[52.101.149.0] david@deemacservices.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	deemacservices-co-nz.mail.protection.outlook.com[52.101.149.9] david@deemacservices.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	deemacservices-co-nz.mail.protection.outlook.com[52.101.149.9] davidm@deemacservices.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	deemacservices-co-nz.mail.protection.outlook.com[52.101.151.0] davidm@deemacservices.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	hotmail-com.olc.protection.outlook.com[52.101.194.16] tusi_peseta@hotmail.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	hotmail-com.olc.protection.outlook.com[52.101.40.25] nath_wils@hotmail.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	hotmail-com.olc.protection.outlook.com[52.101.50.0] tusi_peseta@hotmail.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	hotmail-com.olc.protection.outlook.com[52.101.68.28] nath_wils@hotmail.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	hotmail-com.olc.protection.outlook.com[52.101.73.23] tusi_peseta@hotmail.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	langfordlaw-co-nz.mail.eo.outlook.com[52.101.137.0] dpk@langfordlaw.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	langfordlaw-co-nz.mail.eo.outlook.com[52.101.157.80] dpk@langfordlaw.co.nz
2	(hph.nz)[139.180.179.103] sales@hph.nz	mail.oneoutdoors.com[185.184.154.129] bill@oneoutdoors.com
1	(hph.nz)[139.180.179.103] sales@hph.nz	mx.snap.net.nz[202.37.100.108] lenfab@thenet.co.nz
1	(hph.nz)[139.180.179.103] sales@hph.nz	mx.snap.net.nz[202.37.100.109] lenfab@thenet.co.nz
1	(localhost.localdomain)[127.0.0.1] cpanel@edh.nz	aspmx.l.google.com[142.251.12.26] shane@edh.nz
1	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[142.251.10.26] productsnz@gmail.com
1	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[172.253.118.26] productsnz@gmail.com
1	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[64.233.170.26] productsnz@gmail.com
1	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[74.125.130.26] productsnz@gmail.com
1	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[74.125.130.27] productsnz@gmail.com
1	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[74.125.24.26] productsnz@gmail.com
2	(localhost.localdomain)[127.0.0.1] cpanel@server.dns-nz6.com	gmail-smtp-in.l.google.com[74.125.24.27] productsnz@gmail.com

Total: 36 (plus 0 unshown)


Top 50 mail rejection reasons by message count ([Back To Top](#))

Messages	Mail rejection reason
1033	Unknown
84	Dropped: too many syntax or protocol errors
69	Dropped: too many unrecognized commands
9	Rejected MAIL: Access denied - Invalid HELO name (See RFC2821 4.1.1.1)
3	Rejected MAIL: Access denied - Invalid HELO name (See RFC2821 4.1.3)
3	Rejected RCPT: Rejected relay attempt
2	Rejected RCPT: Sender verify failed




Top 50 mail temporary rejection reasons by message count

Messages	Mail temporary rejection reason
28	Temporarily rejected connection in "connect" ACL: "Host is ratelimited (1.9/1h max:1.2)"
24	Temporarily rejected connection in "connect" ACL: "Host is ratelimited (1.8/1h max:1.2)"
10	Temporarily rejected connection in "connect" ACL: "Host is ratelimited (2.0/1h max:1.2)"




Top 50 sending hosts by message count ([Back To Top](#))

Messages	Bytes	Average	Sending host
130	1274KB	10KB	local
106	518KB	5004	(hph.nz)
16	586KB	37KB	(localhost.localdomain)
1	714KB	714KB	smtpbgeu2.qq.com
1	25KB	25KB	mta16-ab1.mtasv.net
1	4823	4823	ns2.ayanenterprises.shop
1	622	622	(www.hph.nz)
1	599	599	(cpanel97315128.vultrusercontent.com)
1	589	589	(server.dns-nz6.com)




Top 50 sending hosts by volume ([Back To Top](#))

Messages	Bytes	Average	Sending host
130	1274KB	10KB	local
1	714KB	714KB	smtpbgeu2.qq.com
16	586KB	37KB	(localhost.localdomain)
106	518KB	5004	(hph.nz)
1	25KB	25KB	mta16-ab1.mtasv.net
1	4823	4823	ns2.ayanenterprises.shop
1	622	622	(www.hph.nz)
1	599	599	(cpanel97315128.vultrusercontent.com)
1	589	589	(server.dns-nz6.com)




Top 50 local senders by message count ([Back To Top](#))

Messages	Bytes	Average	Local sender
103	944KB	9385	mailnull
11	63KB	5864	healthspot
7	120KB	17KB	ultraherbals
6	96KB	16KB	edhnz
1	49KB	49KB	edhglobal
1	1283	1283	cnewsco
1	627	627	hph




Top 50 local senders by volume ([Back To Top](#))

Messages	Bytes	Average	Local sender
103	944KB	9385	mailnull
7	120KB	17KB	ultraherbals
6	96KB	16KB	edhnz
11	63KB	5864	healthspot
1	49KB	49KB	edhglobal
1	1283	1283	cnewsco
1	627	627	hph




Top 50 host destinations by message count ([Back To Top](#))

Messages	Addresses	Bytes	Average	Host destination
99	99	1420KB	14KB	local
24	24	328KB	14KB	aspmx.l.google.com
9	9	292KB	32KB	gmail-smtp-in.l.google.com
5	5	39KB	7987	hotmail-com.olc.protection.outlook.com
4	4	27KB	6912	deemacservices-co-nz.mail.protection.outlook.com
2	2	13KB	6656	langfordlaw-co-nz.mail.eo.outlook.com
2	2	13KB	6656	mx.snap.net.nz
2	2	13KB	6656	mail.oneoutdoors.com
2	2	13KB	6656	alana-co-nz.mail.protection.outlook.com
1	1	1149	1149	brideandgroom-co-nz.mail.protection.outlook.com
1	1	1114	1114	apc.olc.protection.outlook.com




Top 50 host destinations by volume ([Back To Top](#))

Messages	Addresses	Bytes	Average	Host destination
99	99	1420KB	14KB	local
24	24	328KB	14KB	aspmx.l.google.com
9	9	292KB	32KB	gmail-smtp-in.l.google.com
5	5	39KB	7987	hotmail-com.olc.protection.outlook.com
4	4	27KB	6912	deemacservices-co-nz.mail.protection.outlook.com
2	2	13KB	6656	langfordlaw-co-nz.mail.eo.outlook.com
2	2	13KB	6656	mx.snap.net.nz
2	2	13KB	6656	mail.oneoutdoors.com
2	2	13KB	6656	alana-co-nz.mail.protection.outlook.com
1	1	1149	1149	brideandgroom-co-nz.mail.protection.outlook.com
1	1	1114	1114	apc.olc.protection.outlook.com




Top 50 local destinations by message count ([Back To Top](#))

Messages	Addresses	Bytes	Average	Local destination
86	86	593KB	7060	sales
10	10	83KB	8499	healthspot
2	2	739KB	370KB	everydayhealth
1	1	4823	4823	everydayhealth+spam (everydayhealth@server.dns-nz6.com)




Top 50 local destinations by volume ([Back To Top](#))

Messages	Addresses	Bytes	Average	Local destination
2	2	739KB	370KB	everydayhealth
86	86	593KB	7060	sales
10	10	83KB	8499	healthspot
1	1	4823	4823	everydayhealth+spam (everydayhealth@server.dns-nz6.com)



Top 50 rejected ips by message count ([Back To Top](#))


Messages	Rejected ip
172	local
127	[81.30.98.174]
127	[81.30.98.201]
127	[81.30.98.207]
126	[81.30.98.194]
125	[81.30.98.181]
125	[81.30.98.33]
21	[81.30.98.90]
20	[81.30.98.142]
20	[81.30.98.158]
20	[81.30.98.62]
19	[81.30.98.32]



19	[81.30.98.47]
18	[81.30.98.44]
18	[81.30.98.52]
17	[81.30.98.144]
17	[81.30.98.53]
17	[81.30.98.84]
16	[81.30.98.49]
16	[81.30.98.66]
15	[81.30.98.77]
7	[139.180.179.103]
2	[1.52.34.89]
2	[139.135.79.179]
2	[181.118.159.67]
2	[185.169.4.193]
2	[61.3.209.84]
1	[125.22.116.94]
1	[182.78.241.30]
1	[182.95.228.22]
1	[195.9.20.2]

Top 50 temporarily rejected ips by message count ([Back To Top](#))

By count



Messages	Temporarily rejected ip
62	local

List of errors ([Back To Top](#))

- **Count - Error**
- 1 - 1ptrbsch@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines.41be03b00d2f7-c7ffbff28b0si20072281a12.386-gsmtp>
- 1 - 1ptrbsch@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines.41be03b00d2f7-c7ffbff28b0si18400489a12.251-gsmtp>
- 1 - ahjuckes@outlook.com R=lookuphost T=remote_smtp H=outlook-com.olc.protection.outlook.com [52.101.73.29]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550 5.7.1 Service unavailable, Helo domain is listed in Spamhaus. To request removal from this list see [https://www.spamhaus.org/query/lookup/\(S8001\)\[AMS0EPF000001B2.eurprd05.prod.outlook.com 2026-05-06T01:59:07.134Z 08DEA73A7F122C13\]](https://www.spamhaus.org/query/lookup/(S8001)[AMS0EPF000001B2.eurprd05.prod.outlook.com 2026-05-06T01:59:07.134Z 08DEA73A7F122C13])
- 1 - ahjuckes@outlook.com R=lookuphost T=remote_smtp H=outlook-com.olc.protection.outlook.com [52.101.9.3]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550 5.7.1 Service unavailable, Helo domain is listed in Spamhaus. To request removal from this list see [https://www.spamhaus.org/query/lookup/\(S8001\)\[MN1PEPF0000ECD7.namprd02.prod.outlook.com 2026-05-06T01:56:12.398Z 08DEA73047219FC1\]](https://www.spamhaus.org/query/lookup/(S8001)[MN1PEPF0000ECD7.namprd02.prod.outlook.com 2026-05-06T01:56:12.398Z 08DEA73047219FC1])
- 1 - carmenleewords@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication.d2e1a72fcc58-839695738d0si14300371b3a.232-gsmtp>

- 1 - carmenleewords@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d9443c01a7336-2babb7dd9c0si14764905ad.195 - gsmtp
- 1 - chickichan@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c7ffbc6404esi14702641a12.54 - gsmtp
- 1 - chickichan@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d2e1a72fcca58-837ba4d1fe2si2372780b3a.209 - gsmtp
- 7 - cpanel@cpanel97315128.vultrusercontent.com: retry timeout exceeded
- 1 - cuminatya@outlook.co.nz R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (55%)) allowed. Message discarded.
- 2 - dc.clayton@xtra.co.nz R=lookuphost T=remote_smtp H=mx.xm.smxcloud.com [210.55.143.33]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after RCPT TO:<dc.clayton@xtra.co.nz>: 554 5.7.1 Connection from 139.180.179.103 rejected due to an RBL match
- 1 - deancasey1970@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication 41be03b00d2f7-c7ffbc8606asi19374313a12.91 - gsmtp
- 1 - deancasey1970@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication 41be03b00d2f7-c7ffbc5d0bbsi18799862a12.53 - gsmtp
- 2 - downss@xtra.co.nz R=lookuphost T=remote_smtp H=mx.xm.smxcloud.com [210.55.143.33] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after RCPT TO:<downss@xtra.co.nz>: 554 5.7.1 Connection from 139.180.179.103 rejected due to an RBL match
- 1 - healthspot@server.dns-nz6.com R=localuser T=dovecot_delivery : LMTP error after RCPT TO:<healthspot@server.dns-nz6.com>: 550 5.1.1 <healthspot@server.dns-nz6.com> User doesn't exist: healthspot@server.dns-nz6.com
- 1 - ian@atkinsonfamily.co.nz R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (55%)) allowed. Message discarded.
- 1 - jaredenoch101@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c82540b4621si1301830a12.172 - gsmtp
- 1 - jaredenoch101@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d2e1a72fcca58-839684a4278si10916073b3a.95 - gsmtp
- 1 - lesley@brideandgroom.co.nz R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (55%)) allowed. Message discarded.
- 1 - lindasusanarnold@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 98e67ed59e1d1-364be0761bcsi29801758a91.11 - gsmtp
- 1 - lindasusanarnold@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 98e67ed59e1d1-364be0a65a4si30246514a91.14 - gsmtp
- 1 - odetteabrams@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication 41be03b00d2f7-c7ffbc8a644si16397001a12.113 - gsmtp

- 1 - odetteabrams@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines. d2e1a72fcc58-83515bc74c2si21348280b3a.198 - gsmtip>
- 1 - pork.empanadas@gmail.com R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (55%)) allowed. Message discarded.
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-83965740536si3407912b3a.44 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-83968d94bb6si3236101b3a.191 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines. d2e1a72fcc58-83515b47e05si20230134b3a.136 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines. d2e1a72fcc58-83515bbfc9fsi20749584b3a.197 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication 41be03b00d2f7-c8242ce49bcsi1060596a12.138 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-83968e8bd19si5450704b3a.187 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c7ffbd66b32si13735730a12.143 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-83965d36813si7118041b3a.69 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c7ffbf2386si13019599a12.387 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication 98e67ed59e1d1-364be0eba4fsi21447618a91.19 - gsmtip>
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication 98e67ed59e1d1-365b4ccb3asi11092499a91.15 - gsmtip>

- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d9443c01a7336-2b9cafbfdbbsi231646375ad.159 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c7ffbc8a8edsi16090594a12.116 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c7ffbc2e3csi22460289a12.322 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c8116ae90b7si1060069a12.149 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. d2e1a72fcc58-835537ab2b7si2477955b3a.234 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication 41be03b00d2f7-c822546a2efsi7283863a12.144 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-8394430ec9csi110623b3a.81 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines. 41be03b00d2f7-c7ffbd66b76si15821178a12.185 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d9443c01a7336-2b9cae99b03si166892115ad.125 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication 41be03b00d2f7-c7ffbd675e7si14749277a12.196 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-83515c03800si17009352b3a.248 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication d2e1a72fcc58-839684a49d7si10688079b3a.141 - gsmtp
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]

The IP address sending this message does not have a 550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not match the sending IP. As a policy, Gmail does not accept messages from IPs with missing PTR records. For more information, go to <https://support.google.com/a?p=sender-guidelines-ip> To learn more about Gmail requirements for bulk senders, visit <https://support.google.com/a?p=sender-guidelines>. d9443c01a7336-2b9caeab5aasi219413715ad.135 - gsmtpt

- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated. 550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM. 550-5.7.26 Authentication results: 550-5.7.26 DKIM = did not pass 550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass 550-5.7.26 For instructions on setting up authentication, go to <https://support.google.com/mail/answer/81126#authentication> 98e67ed59e1d1-364ec029bads1090a91.13 - gsmtpt
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated. 550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM. 550-5.7.26 Authentication results: 550-5.7.26 DKIM = did not pass 550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass 550-5.7.26 For instructions on setting up authentication, go to <https://support.google.com/mail/answer/81126#authentication> 98e67ed59e1d1-365b4c4323esi420331a91.6 - gsmtpt
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated. 550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM. 550-5.7.26 Authentication results: 550-5.7.26 DKIM = did not pass 550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass 550-5.7.26 For instructions on setting up authentication, go to <https://support.google.com/mail/answer/81126#authentication> d9443c01a7336-2ba7ca17e9asi30671015ad.99 - gsmtpt
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated. 550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM. 550-5.7.26 Authentication results: 550-5.7.26 DKIM = did not pass 550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass 550-5.7.26 For instructions on setting up authentication, go to <https://support.google.com/mail/answer/81126#authentication> d2e1a72fcc58-83537a8c8easi10045500b3a.4 - gsmtpt
- 1 - pork.empanadas@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated. 550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM. 550-5.7.26 Authentication results: 550-5.7.26 DKIM = did not pass 550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass 550-5.7.26 For instructions on setting up authentication, go to <https://support.google.com/mail/answer/81126#authentication> d2e1a72fcc58-839684a8729si6694800b3a.143 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC initiative, go to <https://support.google.com/mail/?p=DmarcRejection> 41be03b00d2f7-c7ffbd7e8dsi12540541a12.367 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC initiative, go to <https://support.google.com/mail/?p=DmarcRejection> 41be03b00d2f7-c7ffbc629c6si12176533a12.32 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC initiative, go to <https://support.google.com/mail/?p=DmarcRejection> d2e1a72fcc58-83515c168adsi16932406b3a.268 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC initiative, go to <https://support.google.com/mail/?p=DmarcRejection> 41be03b00d2f7-c7ffbd679d4si12016705a12.179 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC initiative, go to <https://support.google.com/mail/?p=DmarcRejection> d2e1a72fcc58-835158d333bsi17592393b3a.72 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC initiative, go to <https://support.google.com/mail/?p=DmarcRejection> 41be03b00d2f7-c7ffbc6224bsi11914376a12.30 - gsmtpt
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's DMARC policy. Please contact the administrator of vultrusercontent.com domain if this was a legitimate mail. To learn about the DMARC

- initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cae68489si137753405ad.114 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cae68489si137753405ad.114-gsmtp)
- 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cae961fcsi131465455ad.122 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cae961fcsi131465455ad.122-gsmtp)
 - 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83515b45de1si16679575b3a.98 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83515b45de1si16679575b3a.98-gsmtp)
 - 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83515b4700esi16533292b3a.94 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83515b4700esi16533292b3a.94-gsmtp)
 - 1 - productsnz@gmail.com <cpanel@cpanel97315128.vultrusercontent.com> R=dkim_lookuphost T=dkim_remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cab15a8dsi129993205ad.44 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cab15a8dsi129993205ad.44-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c82542f61c3sil4411020a12.318 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c82542f61c3sil4411020a12.318-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83965740b7fsi17594691b3a.45 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83965740b7fsi17594691b3a.45-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c8025f5ab97si1757397a12.240 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c8025f5ab97si1757397a12.240-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cae683b0si125470715ad.100 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d9443c01a7336-2b9cae683b0si125470715ad.100-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c82540b93a7si2454561a12.174 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c82540b93a7si2454561a12.174-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [172.253.118.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83969671c49si17021205b3a.239 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83969671c49si17021205b3a.239-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83538fda911si4210148b3a.31 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83538fda911si4210148b3a.31-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 [https://support.google.com/mail/answer/81126#authentication_98e67ed59e1d1-36544f66323si3685884a91.2 - gsmtp](https://support.google.com/mail/answer/81126#authentication_98e67ed59e1d1-36544f66323si3685884a91.2-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 [https://support.google.com/mail/answer/81126#authentication_d2e1a72fcc58-837d9c19336si1470275b3a.199 - gsmtp](https://support.google.com/mail/answer/81126#authentication_d2e1a72fcc58-837d9c19336si1470275b3a.199-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 [https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c822576ce88si5557669a12.136 - gsmtp](https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c822576ce88si5557669a12.136-gsmtp)
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27] X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or

- DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_41be03b00d2f7-c7ffbc64dfcsi13314462a12.45 - gsmtp
- 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_41be03b00d2f7-c822606e9e5si7357654a12.45 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c7ffbc63852si22970926a12.46 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c7ffbc8ac2csi11753895a12.118 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83540e07e46si3005623b3a.90 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_98e67ed59e1d1-365b4cf4382si3214955a91.17 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_41be03b00d2f7-c822cb71536si380802a12.188 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_41be03b00d2f7-c8242ad25c2si1100132a12.92 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_d2e1a72fcc58-83515857dc7si17386650b3a.26 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_d2e1a72fcc58-83515b47defsi21771144b3a.138 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103] The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 https://support.google.com/a?p=sender-guidelines_d9443c01a7336-2b9caae59c4si221885565ad.39 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 https://support.google.com/mail/?p=DmarcRejection_41be03b00d2f7-c82537d63aes12158849a12.60 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83968c83649si11467608b3a.159 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due\n550-5.7.26 to domain's DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 https://support.google.com/mail/?p=DmarcRejection_d2e1a72fcc58-83515bbfc9fsi16200223b3a.197 - gsmtp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or

- DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication> 41be03b00d2f7-c8242d4a5ddsi2648898a12.364 - gsmtmp
- 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 <https://support.google.com/mail/?p=DmarcRejection> 41be03b00d2f7-c7ffb9b418si16981382a12.291 - gsmtmp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from gmail.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of gmail.com domain\n550-5.7.26 if this was a legitimate mail. To learn about the DMARC initiative,\n550-5.7.26 go to\n550 5.7.26 <https://support.google.com/mail/?p=DmarcRejection> d2e1a72fcc58-83965d36c2asi495119b3a.63 - gsmtmp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Unauthenticated email from vultrusercontent.com is not accepted due to domain's\n550-5.7.26 DMARC policy. Please contact the administrator of\n550-5.7.26 vultrusercontent.com domain if this was a legitimate mail. To learn\n550-5.7.26 about the DMARC initiative, go to\n550 5.7.26 <https://support.google.com/mail/?p=DmarcRejection> d2e1a72fcc58-83538724615si5446783b3a.148 - gsmtmp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication> d2e1a72fcc58-83515859650si21803002b3a.22 - gsmtmp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication> d9443c01a7336-2b9cae65fccsi163799135ad.89 - gsmtmp
 - 1 - productsnz@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication> d9443c01a7336-2ba7bf382b4si28837155ad.53 - gsmtmp
 - 1 - pupahunt@yahoo.com R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (55%)) allowed. Message discarded.
 - 1 - robertstonestreet205@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103] The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip>\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines>. d2e1a72fcc58-835158d3059si17700174b3a.78 - gsmtmp
 - 1 - robertstonestreet205@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103] The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip>\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines>. 41be03b00d2f7-c7ffbd66b21si16454894a12.199 - gsmtmp
 - 1 - sales@hph.nz R=virtual_user T=dovecot_virtual_delivery : LMTP error after RCPT TO:<sales@hph.nz>: 550 5.1.1 <sales@hph.nz> User doesn't exist: sales@hph.nz
 - 1 - shane@edh.nz R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (71%)) allowed. Message discarded.
 - 1 - single.ansxy.rob@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication> d9443c01a7336-2ba3365d00asi6866685ad.197 - gsmtmp
 - 1 - single.ansxy.rob@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103] The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip>\n550-5.7.25 To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines>. d2e1a72fcc58-83515c07823si16812478b3a.254 - gsmtmp
 - 1 - stephensnina607@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 <https://support.google.com/mail/answer/81126#authentication> 41be03b00d2f7-c8242d37e14si926052a12.315 - gsmtmp
 - 1 - stephensnina607@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip:

- [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_d2e1a72fcc58-83969671110si5745161b3a.238 - gsmtpt
- 1 - stratfamily@gmail.com R=enforce_mail_permissions : Domain hph.nz has exceeded the max defers and failures per hour (5/5 (55%)) allowed. Message discarded.
 - 1 - stratfamily@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.130.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines>. 41be03b00d2f7-c80178db0b9si8999327a12.364 - gsmtpt
 - 1 - teepreeholdings2@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_41be03b00d2f7-c80a57a8de9si8171874a12.252 - gsmtpt
 - 1 - teepreeholdings2@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [74.125.24.27]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.25 [139.180.179.103]
The IP address sending this message does not have a\n550-5.7.25 PTR record setup, or the corresponding forward DNS entry does not\n550-5.7.25 match the sending IP. As a policy, Gmail does not accept messages\n550-5.7.25 from IPs with missing PTR records. For more information, go to\n550-5.7.25 <https://support.google.com/a?p=sender-guidelines-ip\n550-5.7.25> To learn more about Gmail requirements for bulk senders, visit\n550 5.7.25 <https://support.google.com/a?p=sender-guidelines>. d2e1a72fcc58-83946891b22si530671b3a.180 - gsmtpt
 - 1 - toddoruution@hotmail.com R=lookuphost T=remote_smtp H=hotmail-com.olc.protection.outlook.com [52.101.50.9]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550 5.7.1 Service unavailable, Helo domain is listed in Spamhaus. To request removal from this list see <https://www.spamhaus.org/query/lookup/> (S8001) [MWHOEPF000C6189.namprd02.prod.outlook.com 2026-05-06T00:09:16.212Z 08DEA70BE8FF2CC1]
 - 1 - toddoruution@hotmail.com R=lookuphost T=remote_smtp H=hotmail-com.olc.protection.outlook.com [52.101.73.10]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550 5.7.1 Service unavailable, Helo domain is listed in Spamhaus. To request removal from this list see <https://www.spamhaus.org/query/lookup/> (S8001) [AM3PEPF000A78F.eurprd04.prod.outlook.com 2026-05-06T01:05:51.695Z 08DEA7405C1C470A]
 - 1 - traceyrainbow2@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [142.251.10.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_41be03b00d2f7-c82538085d1si1506676a12.115 - gsmtpt
 - 1 - traceyrainbow2@gmail.com R=lookuphost T=remote_smtp H=gmail-smtp-in.l.google.com [64.233.170.26]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550-5.7.26 Your email has been blocked because the sender is unauthenticated.\n550-5.7.26 Gmail requires all senders to authenticate with either SPF or DKIM.\n550-5.7.26\n550-5.7.26 Authentication results:\n550-5.7.26 DKIM = did not pass\n550-5.7.26 SPF [hph.nz] with ip: [139.180.179.103] = did not pass\n550-5.7.26\n550-5.7.26 For instructions on setting up authentication, go to\n550 5.7.26 https://support.google.com/mail/answer/81126#authentication_d9443c01a7336-2baba997eb9si19930675ad.33 - gsmtpt
 - 1 - wemerylol@outlook.com R=lookuphost T=remote_smtp H=outlook-com.olc.protection.outlook.com [52.101.68.24]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550 5.7.1 Service unavailable, Helo domain is listed in Spamhaus. To request removal from this list see <https://www.spamhaus.org/query/lookup/> (S8001) [DB3PEPF00008859.eurprd02.prod.outlook.com 2026-05-06T00:09:11.866Z 08DEA71DF4C3DDF5]
 - 1 - wemerylol@outlook.com R=lookuphost T=remote_smtp H=outlook-com.olc.protection.outlook.com [52.101.9.22]
X=TLS1.3:TLS_AES_256_GCM_SHA384:256 CV=yes : SMTP error from remote mail server after end of data: 550 5.7.1 Service unavailable, Helo domain is listed in Spamhaus. To request removal from this list see <https://www.spamhaus.org/query/lookup/> (S8001) [BL6PEPF00020E62.namprd04.prod.outlook.com 2026-05-06T00:43:56.739Z 08DEA74562B3C3B9]

Errors encountered: 123

